

# 規格表

| 型號         |           | QH43B  | QH50B  | QH55B                           | QH65B                           | QH75B                           |                                 |
|------------|-----------|--|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| 面板         | 尺寸        | 43   | 50   | 55                              | 65                              | 75                              |                                 |
|            | 解析度       | 3840x2160(16:9)  | 3840x2160(16:9)  | 3840x2160(16:9)                 | 3840x2160(16:9)                 | 3840x2160(16:9)                 |                                 |
|            | 亮度(典型值)   | 700 nit  | 700 nit  | 700 nit                         | 700 nit                         | 700 nit                         |                                 |
|            | 可視角度      | Landscape / Portrait   | Landscape / Portrait   | Landscape / Portrait            | Landscape / Portrait            | Landscape / Portrait            |                                 |
|            | 霧度Haze    | Non-Glare  | Non-Glare  | Non-Glare                       | Non-Glare                       | Non-Glare                       |                                 |
|            | 對比度       | 4000:1   | 4000:1   | 4000:1                          | 4000:1                          | 6000:1                          |                                 |
|            | 色域        | 92% (DCI-P3, CIE 1976)   | 92% (DCI-P3, CIE 1976)   | 92% (DCI-P3, CIE 1976)          | 92% (DCI-P3, CIE 1976)          | 92% (DCI-P3, CIE 1976)          |                                 |
|            | 使用時間      | 24/7   | 24/7   | 24/7                            | 24/7                            | 24/7                            |                                 |
| 連結性/<br>聲音 | 輸入        | VIDEO  | DP1.2 (1), HDMI 2.0 (3)  | DP1.2 (1), HDMI 2.0 (3)         | DP1.2 (1), HDMI 2.0 (3)         | DP1.2 (1), HDMI 2.0 (3)         | DP1.2 (1), HDMI 2.0 (3)         |
|            |           | AUDIO  | N/A  | N/A                             | N/A                             | N/A                             | N/A                             |
|            |           | USB  | USB 2.0 x 2  | USB 2.0 x 2                     | USB 2.0 x 2                     | USB 2.0 x 2                     | USB 2.0 x 2                     |
|            |           | Tuner  | N/A  | N/A                             | N/A                             | N/A                             | N/A                             |
|            | 輸出        | VIDEO  | N/A  | N/A                             | N/A                             | N/A                             | N/A                             |
|            |           | AUDIO  | Stereo mini Jack   | Stereo mini Jack                | Stereo mini Jack                | Stereo mini Jack                | Stereo mini Jack                |
|            |           | USB  | N/A  | N/A                             | N/A                             | N/A                             | N/A                             |
|            | WiFi / BT | O / O  | O / O  | O / O                           | O / O                           | O / O                           |                                 |
|            | 外部控制      | RS232C(in/out), RJ45   | RS232C(in/out), RJ45   | RS232C(in/out), RJ45            | RS232C(in/out), RJ45            | RS232C(in/out), RJ45            |                                 |
|            | 喇叭類型      | 10W 2ch  | 10W 2ch  | 10W 2ch                         | 10W 2ch                         | 10W 2ch                         |                                 |
| 機械規格       | 機身尺寸 (mm) | Set  | 967.5 x 557.7 x 48.3   | 1121.4 x 643.9 x 46.3           | 1235.1 x 707.9 x 46.3           | 1453.9 x 831.0 x 46.3           | 1681.1 x 960.1 x 49.7           |
|            |           | Package  | 1095 x 676 x 151   | 1269 x 784 x 152                | 1402 x 858 x 163                | 1611 x 973 x 185                | 1871 x 1127 x 223               |
|            | 機身重量 (kg) | Set  | 10.7   | 14.5                            | 19.2                            | 26.6                            | 40.3                            |
|            |           | Package  | 14   | 18.7                            | 24.7                            | 34                              | 51                              |
|            | VESA 壁掛   | 200 X 200  | 200 X 200  | 200 X 200                       | 400 X 400                       | 400 X 400                       |                                 |
|            | 邊框寬度(mm)  | 9.2mm(U/L/R), 11.2mm(B)  | 9.2mm(U/L/R), 11.2mm(B)  | 9.2mm(U/L/R), 11.2mm(B)         | 9.2mm(U/L/R), 11.2mm(B)         | 11.5mm(U/L/R), 12.5mm(B)        |                                 |
| 產品特色       | 內部播放器     | 作業系統   | Tizen 6.5  | Tizen 6.5                       | Tizen 6.5                       | Tizen 6.5                       | Tizen 6.5                       |
|            |           | 處理器  | Cortex A72 1.7GHz Quad-Core CPU  | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU |
|            |           | 儲存效能(FDM)  | 16 GB  | 16 GB                           | 16 GB                           | 16 GB                           | 16 GB                           |
|            | 特殊功能      | H/W  | Symmetric Design (same with QxR) / Center IR / Temperature Sensor / Auto Level / Wi-Fi(2.4/5.0GHz dual) & BT |                                 |                                 |                                 |                                 |
| S/W        |           | Workspace (Microsoft365/VMWare/RDP) / Custom Home / Auto Source Switching & Recovery / Dicom Simulation Mode / Director Mode / SmartView+(PC) [end of march-] Upgradable Web-Engine / Tizen Enterprise Platform / Smart Calibration / SmartView+(mobile) / Video Conference Solution |  |                                 |                                 |                                 |                                 |
| 產品認證       | 處理器       | 60950-1 / 62368-1  | 60950-1 / 62368-1  | 60950-1 / 62368-1               | 60950-1 / 62368-1               | 60950-1 / 62368-1               |                                 |
|            | EMC       | Class B  | Class B  | Class B                         | Class B                         | Class B                         |                                 |
|            | IP Rating | IP5x   | IP5x   | IP5x                            | IP5x                            | IP5x                            |                                 |
|            | 保密性       | 802.1x(WPA2 Enterprise) : EAP-TLS, EAP-TTLS, EAP-PEAP  |  |                                 |                                 |                                 |                                 |
| 電源         | 電源供應      | AC100 - 240 V, 50/60 Hz  | AC100 - 240 V, 50/60 Hz  | AC100 - 240 V, 50/60 Hz         | AC100 - 240 V, 50/60 Hz         | AC100 - 240 V, 50/60 Hz         |                                 |
|            | 耗電量       | 最大值  | 138  | 176                             | 160                             | 204                             | 264                             |
|            |           | 平均值  | 93   | 106                             | 115                             | 152                             | 195                             |
|            |           | 睡眠模式   | less than 0.5W   | less than 0.5W                  | less than 0.5W                  | less than 0.5W                  | less than 0.5W                  |
| 操作         | 溫度        | 0°C~ 40°C  | 0°C~ 40°C  | 0°C~ 40°C                       | 0°C~ 40°C                       | 0°C~ 40°C                       |                                 |
|            | 濕度        | 10~80%   | 10~80%   | 10~80%                          | 10~80%                          | 10~80%                          |                                 |
| 隨箱內附       |           | Quick Setup Guide / Warranty Card / Power Cord / RS232C(IN) Gender / Remote Controller & Batteries   |  |                                 |                                 |                                 |                                 |

| 型號         |              | QM43B   | QM50B  | QM55B                           | QM65B                           | QM75B                           |                                 |
|------------|--------------|---|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| 面板         | 尺寸           | 43  | 50   | 55                              | 65                              | 75                              |                                 |
|            | 解析度          | 3840x2160(16:9)   | 3840x2160(16:9)  | 3840x2160(16:9)                 | 3840x2160(16:9)                 | 3840x2160(16:9)                 |                                 |
|            | 亮度(典型值)      | 500 nit   | 500 nit  | 500 nit                         | 500 nit                         | 500 nit                         |                                 |
|            | 可視角度         | Landscape / Portrait  | Landscape / Portrait   | Landscape / Portrait            | Landscape / Portrait            | Landscape / Portrait            |                                 |
|            | 霧度Haze       | Non-Glare   | Non-Glare  | Non-Glare                       | Non-Glare                       | Non-Glare                       |                                 |
|            | 對比度          | 4000:1 (* IPS - 1200:1)   | 4000:1   | 4000:1                          | 4000:1                          | 4000:1                          |                                 |
|            | 色域           | 92% (DCI-P3, CIE 1976)  | 92% (DCI-P3, CIE 1976)   | 92% (DCI-P3, CIE 1976)          | 92% (DCI-P3, CIE 1976)          | 92% (DCI-P3, CIE 1976)          |                                 |
|            | 使用時間         | 24/7  | 24/7   | 24/7                            | 24/7                            | 24/7                            |                                 |
| 連結性/<br>聲音 | 輸入           | VIDEO   | DP1.2 (1), HDMI 2.0 (3)  | DP1.2 (1), HDMI 2.0 (3)         | DP1.2 (1), HDMI 2.0 (3)         | DP1.2 (1), HDMI 2.0 (3)         |                                 |
|            |              | AUDIO   | N/A  | N/A                             | N/A                             | N/A                             |                                 |
|            |              | USB   | USB 2.0 x 2  | USB 2.0 x 2                     | USB 2.0 x 2                     | USB 2.0 x 2                     |                                 |
|            |              | Tuner   | N/A  | N/A                             | N/A                             | N/A                             |                                 |
|            | 輸出           | VIDEO   | N/A  | N/A                             | N/A                             | N/A                             |                                 |
|            |              | AUDIO   | Stereo mini Jack   | Stereo mini Jack                | Stereo mini Jack                | Stereo mini Jack                |                                 |
|            |              | USB   | N/A  | N/A                             | N/A                             | N/A                             |                                 |
|            | WiFi / BT    | O / O   | O / O  | O / O                           | O / O                           | O / O                           |                                 |
|            | 外部控制         | RS232C(in/out), RJ45  | RS232C(in/out), RJ45   | RS232C(in/out), RJ45            | RS232C(in/out), RJ45            | RS232C(in/out), RJ45            |                                 |
|            | 喇叭類型         | 10W 2ch   | 10W 2ch  | 10W 2ch                         | 10W 2ch                         | 10W 2ch                         |                                 |
| 機械規格       | 機身尺寸<br>(mm) | Set   | 967.5 x 557.7 x 48.3   | 1121.4 x 643.9 x 46.3           | 1235.1 x 707.9 x 46.3           | 1453.9 x 831.0 x 46.3           | 1681.1 x 960.1 x 49.7           |
|            |              | Package   | 1095 x 676 x 151   | 1269 x 784 x 152                | 1402 x 858 x 163                | 1611 x 973 x 185                | 1871 x 1127 x 223               |
|            | 機身重量<br>(kg) | Set   | 10   | 13.4                            | 18.1                            | 24.9                            | 38.3                            |
|            |              | Package   | 13.3   | 17.6                            | 23.6                            | 33.3                            | 49                              |
|            | VESA 壁掛      | 200 X 200   | 200 X 200  | 200 X 200                       | 400 X 400                       | 400x400                         |                                 |
|            | 邊框寬度(mm)     | 9.2mm(U/L/R), 11.2mm(B)   | 9.2mm(U/L/R), 11.2mm(B)  | 9.2mm(U/L/R), 11.2mm(B)         | 9.2mm(U/L/R), 11.2mm(B)         | 11.5mm(U/L/R), 12.5mm(B)        |                                 |
| 產品特色       | 內部播放器        | 作業系統  | Tizen 6.5  | Tizen 6.5                       | Tizen 6.5                       | Tizen 6.5                       |                                 |
|            |              | 處理器   | Cortex A72 1.7GHz Quad-Core CPU  | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU | Cortex A72 1.7GHz Quad-Core CPU |
|            |              | 儲存效能(FDM)   | 16 GB  | 16 GB                           | 16 GB                           | 16 GB                           | 16 GB                           |
|            | 特殊功能         | H/W   | Symmetric Design (same with QxR) / Center IR / Temperature Sensor / Auto Level / Wi-Fi(2.4/5.0GHz dual) & BT |                                 |                                 |                                 |                                 |
| S/W        |              | Workspace (Microsoft 365/VMWare/RDP) / Custom Home / Auto Source Switching & Recovery / Dicom Simulation Mode / Director Mode / SmartView+(PC) [end of march-] Upgradable Web-Engine / Tizen Enterprise Platform / Smart Calibration / SmartView+(mobile) / Video Conference Solution |  |                                 |                                 |                                 |                                 |
| 產品認證       | 處理器          | 60950-1 / 62368-1   | 60950-1 / 62368-1  | 60950-1 / 62368-1               | 60950-1 / 62368-1               | 60950-1 / 62368-1               |                                 |
|            | EMC          | Class B   | Class B  | Class B                         | Class B                         | Class B                         |                                 |
|            | IP Rating    | IP5x  | IP5x   | IP5x                            | IP5x                            | IP5x                            |                                 |
|            | 保密性          | 802.1x(WPA2 Enterprise) : EAP-TLS, EAP-TTLS, EAP-PEAP   |  |                                 |                                 |                                 |                                 |
| 電源         | 電源供應         | AC 100 - 240 V, 50/60 Hz  | AC 100 - 240 V, 50/60 Hz   | AC 100 - 240 V, 50/60 Hz        | AC 100 - 240 V, 50/60 Hz        | AC 100 - 240 V, 50/60 Hz        |                                 |
|            | 耗電量          | 最大值   | 110  | 171                             | 143                             | 182                             | 231                             |
|            |              | 平均值   | 79   | 91                              | 108                             | 127                             | 161                             |
|            |              | 睡眠模式  | less than 0.5W   | less than 0.5W                  | less than 0.5W                  | less than 0.5W                  | less than 0.5W                  |
| 操作         | 溫度           | 0°C~ 40°C   | 0°C~ 40°C  | 0°C~ 40°C                       | 0°C~ 40°C                       | 0°C~ 40°C                       |                                 |
|            | 濕度           | 10~80%  | 10~80%   | 10~80%                          | 10~80%                          | 10~80%                          |                                 |
| 隨箱內附       |              | Quick Setup Guide / Warranty Card / Power Cord / RS232C(IN) Gender / Remote Controller & Batteries  |  |                                 |                                 |                                 |                                 |

| 型號         |              | QB43B   | QB50B  | QB55B                          | QB65B                          | QB75B                          |                                |
|------------|--------------|---|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 面板         | 尺寸           | 43  | 50   | 55                             | 65                             | 75                             |                                |
|            | 解析度          | 3840x2160(16:9)   | 3840x2160(16:9)  | 3840x2160(16:9)                | 3840x2160(16:9)                | 3840x2160(16:9)                |                                |
|            | 亮度(典型值)      | 350 nit   | 350 nit  | 350 nit                        | 350 nit                        | 350 nit                        |                                |
|            | 可視角度         | Landscape / Portrait  | Landscape / Portrait   | Landscape / Portrait           | Landscape / Portrait           | Landscape / Portrait           |                                |
|            | 霧度Haze       | Glare   | Glare  | Glare                          | Glare                          | Glare                          |                                |
|            | 對比度          | 4000:1  | 4000:1   | 4000:1                         | 4000:1                         | 4000:1                         |                                |
|            | 使用時間         | 16/7  | 16/7   | 16/7                           | 16/7                           | 16/7                           |                                |
| 連結性/<br>聲音 | 輸入           | VIDEO   | HDMI 2.0 (3)   | HDMI 2.0 (3)                   | HDMI 2.0 (3)                   | HDMI 2.0 (3)                   |                                |
|            |              | AUDIO   | N/A  | N/A                            | N/A                            | N/A                            |                                |
|            |              | USB   | USB 2.0 x 2  | USB 2.0 x 2                    | USB 2.0 x 2                    | USB 2.0 x 2                    | USB 2.0 x 2                    |
|            |              | Tuner   | N/A  | N/A                            | N/A                            | N/A                            | N/A                            |
|            | 輸出           | VIDEO   | N/A  | N/A                            | N/A                            | N/A                            | N/A                            |
|            |              | AUDIO   | Stereo mini Jack   | Stereo mini Jack               | Stereo mini Jack               | Stereo mini Jack               | Stereo mini Jack               |
|            |              | USB   | N/A  | N/A                            | N/A                            | N/A                            | N/A                            |
|            | WiFi / BT    | O / O   | O / O  | O / O                          | O / O                          | O / O                          |                                |
|            | 外部控制         | RS232C(in/out), RJ45  | RS232C(in/out), RJ45   | RS232C(in/out), RJ45           | RS232C(in/out), RJ45           | RS232C(in/out), RJ45           |                                |
|            | 喇叭類型         | 10W 2ch   | 10W 2ch  | 10W 2ch                        | 10W 2ch                        | 10W 2ch                        |                                |
| 機械規格       | 機身尺寸<br>(mm) | Set   | 967.5 x 557.7 x 48.3   | 1121.4 x 643.9 x 46.3          | 1235.1 x 707.9 x 46.3          | 1453.9 x 831.0 x 46.3          | 1681.1 x 960.1 x 49.7          |
|            |              | Package   | 1095 x 676 x 151   | 1269 x 784 x 152               | 1402 x 858 x 163               | 1611 x 973 x 185               | 1871 x 1127 x 223              |
|            | 機身重量<br>(kg) | Set   | 10   | 13.4                           | 18.1                           | 24.9                           | 38.3                           |
|            |              | Package   | 13.3   | 17.6                           | 23.6                           | 33.3                           | 49                             |
|            | VESA 壁掛      | 200 X 200   | 200 X 200  | 200 X 200                      | 400 X 400                      | 400x400                        |                                |
|            | 邊框寬度(mm)     | 9.2mm(U/L/R), 11.2mm(B)   | 9.2mm(U/L/R), 11.2mm(B)  | 9.2mm(U/L/R), 11.2mm(B)        | 9.2mm(U/L/R), 11.2mm(B)        | 11.5mm(U/L/R), 12.5mm(B)       |                                |
| 產品特色       | 內部播放器        | 作業系統  | Tizen 6.5  | Tizen 6.5                      | Tizen 6.5                      | Tizen 6.5                      |                                |
|            |              | 處理器   | Cortex A721.7GHz Quad-Core CPU   | Cortex A721.7GHz Quad-Core CPU | Cortex A721.7GHz Quad-Core CPU | Cortex A721.7GHz Quad-Core CPU | Cortex A721.7GHz Quad-Core CPU |
|            |              | 儲存效能(FDM)   | 8GB  | 8GB                            | 8GB                            | 8GB                            | 8GB                            |
|            | 特殊功能         | H/W   | Symmetric Design (same with QxR) / Center IR / Temperature Sensor / Auto Level / Wi-Fi(2.4/5.0GHz dual) & BT |                                |                                |                                |                                |
| S/W        |              | Workspace (Microsoft365/VMWare/RDP) / Custom Home / Auto Source Switching & Recovery / Dicom Simulation Mode / Director Mode / SmartView+(PC [end of march-] Upgradable Web-Engine / Tizen Enterprise Platform / Smart Calibration / SmartView+(mobile) / Video Conference Solution |  |                                |                                |                                |                                |
| 產品認證       | 處理器          | 60950-1 / 62368-1   | 60950-1 / 62368-1  | 60950-1 / 62368-1              | 60950-1 / 62368-1              | 60950-1 / 62368-1              |                                |
|            | EMC          | Class B   | Class B  | Class B                        | Class B                        | Class B                        |                                |
|            | IP Rating    | IP5x  | IP5x   | IP5x                           | IP5x                           | IP5x                           |                                |
|            | 保密性          | 802.1x(WPA2 Enterprise) : EAP-TLS, EAP-TTLS, EAP-PEAP   |  |                                |                                |                                |                                |
| 電源         | 電源供應         | AC 100 - 240 V, 50/60 Hz  | AC 100 - 240 V, 50/60 Hz   | AC 100 - 240 V, 50/60 Hz       | AC 100 - 240 V, 50/60 Hz       | AC 100 - 240 V, 50/60 Hz       |                                |
|            | 耗電量          | 最大值   | 110  | 143                            | 143                            | 182                            | 231                            |
|            |              | 平均值   | 79   | 91                             | 96                             | 124                            | 174                            |
|            |              | 睡眠模式  | less than 0.5W   | less than 0.5W                 | less than 0.5W                 | less than 0.5W                 | less than 0.5W                 |
| 操作         | 溫度           | 0°C~ 40°C   | 0°C~ 40°C  | 0°C~ 40°C                      | 0°C~ 40°C                      | 0°C~ 40°C                      |                                |
|            | 濕度           | 10~80%  | 10~80%   | 10~80%                         | 10~80%                         | 10~80%                         |                                |
| 隨箱內附       |              | Quick Setup Guide / Warranty Card / Power Cord / RS232C(IN) Gender / Remote Controller & Batteries  |  |                                |                                |                                |                                |